

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13	1509	(record with compatib\$7 with (device system end\$1user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:15
S14	9	(record with compatib\$7 with (device system end\$1user)) and (table with mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:18
S15	4	(record with compatib\$7 with (device system end\$1user)) and (table with mask\$3 with (field attribute feature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:20
S16	5	(record with compatib\$7 with (device system end\$1user)) and (table with (mask\$3 filter) with (field attribute feature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:22
S17	26273	((attribute feature) with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:23
S18	300	"707"/.ccls. and((attribute feature) with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:23
S19	300	"707"/.ccls. and ((attribute feature) with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:23

## EAST Search History

S20	1	"707"/.ccls. and ((attribute feature) with mask\$3) and (mask with record with compatib\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:24
S21	2	"707"/.ccls. and ((attribute feature) with mask\$3) and (mask with compatib\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 16:24
S22	8	("5794244").URPN.	USPAT	OR	OFF	2007/11/21 17:40
S23	0	"20050102301"	USPAT	OR	OFF	2007/11/21 17:41
S24	2	"20050102301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 17:54
S25	2	"20020188599"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 17:54
S26	1	(compatibil\$5 with bit with mask) and (record with bit with mask with (feature attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:31
S27	13	(compatibil\$5 with bit with mask) and ((record row data) with bit with mask with (feature attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:37
S28	60	(compatibil\$5 adj2 mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:38

## EAST Search History

S29	6	((record content data) with (compatibil\$5 adj2 mask)) and ((device client) with mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:41
S30	204	(bit with mask\$3 with table with (attribute characteristic field column) with (record row data content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:42
S31	15	(bit with mask\$3 with table with (attribute characteristic field column) with (record row data content)) and (table with device with bit with mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:50
S32	19	((record data content) with (bit adj mask adj array))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:54
S33	347	(bit adj mask adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:55
S34	35	(bit adj mask adj data) and (table with (data record row content) with (field attribute characteristic feature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:56
S35	2503	(feature adj mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:56

## EAST Search History

S36	147	(feature adj mask) and (mask with compatib\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:57
S37	1	(feature adj mask) and (mask with compatib\$6) and ((record row data content) with (feature) with mask\$3 with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:58
S38	3	(feature adj mask) and (mask with compatib\$6 with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:58
S39	1468	((record data) with feature with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:59
S40	688	((record data) with feature with mask\$3) and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:59
S41	147	((record data) with feature with mask\$3) and (table with bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 17:59
S42	30	((record data) with feature with mask\$3) and (table with bit with (feature attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:03

## EAST Search History

S43	12	((record data) with feature with vector with bit) and (table with bit with (feature attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:32
S44	0	((record data) with feature with vector with bit) and (device with compatibility)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:04
S45	3	((record data) with feature with vector with bit) and (device with compatib\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:05
S46	0	(avi with urban).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:33
S47	4591	(urban).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:33
S48	1	(urban and loveman).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:33
S49	0	(urban and loveman).in. and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:33

## EAST Search History

S50	0	(urban and loveman).in. and mask	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:34
S51	0	(pcfirst).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:36
S52	24	((device computer) with profile) same (profile with bit with mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:38
S53	70	((device computer) with profile) and (profile with bit with mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:38
S54	46	S53 not S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:38
S55	37	S53 not S52 and ((software application with bit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:38
S56	26	S53 not S52 and ((software application) with bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:40

## EAST Search History

S57	23	S53 not S52 and ((software application) with bit) and compatib\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:55
S58	14923	((bit\$1map\$4 bitmap\$4) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:56
S59	4950	((bit\$1map\$4 bitmap\$4) adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:56
S60	123	((bit\$1map\$4 bitmap\$4) adj data) and ((feature bit) adj mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:56
S61	28	((bit\$1map\$4 bitmap\$4) adj data) and ((feature bit) adj mask\$3) and ((software application) with (compatb\$6 available) with (user device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:57
S62	28	((bit\$1map\$4 bitmap\$4) adj data) and ((feature bit) adj mask\$3) and ((software application) with (compatib\$6 available) with (user device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:57
S63	2	((bit\$1map\$4 bitmap\$4) adj data) and ((feature bit) adj mask\$3) and ((software application) with (compatib\$6 available) with (user device)) and ((data record content) with bit with (feature attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 18:59

## EAST Search History

S64	19	((bit\$1map\$4 bitmap\$4) adj data) and ((feature bit) adj mask\$3) and ((compatib\$6 available) with (user device)) and ((data record content) with bit with (feature attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:06
S65	4	"6804664"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:25
S66	5	(feature with mask with data with compatible)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:28
S67	1596	(matrix with device with feature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:28
S68	853	(matrix with device with (feature attribute requirement configuration characteristic)) and ((record content data) with matrix with (feature attribute field characteristic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:30
S69	130	(matrix with device with (feature attribute requirement configuration characteristic)) and ((record content data) with matrix with (feature attribute field characteristic)) and compatib\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:30
S70	69	(matrix with device with (feature attribute requirement configuration characteristic)) and ((record content data) with matrix with (feature attribute field characteristic)) and compatib\$6 and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:30



## EAST Search History

S71	1	"20050021535" and bit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:44
S72	3	"6804664" and (record with (attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 19:44